

Fast Approximation of Betweenness Centrality through Sampling

Matteo Riondato
Dept. of Computer Science
Brown University
Providence, RI, USA
matteo@cs.brown.edu

Evgenios M. Kornaropoulos
Dept. of Computer Science
Brown University
Providence, RI, USA
evgenios@cs.brown.edu

ABSTRACT

Betweenness centrality is a fundamental measure in social network analysis, expressing the importance or influence of individual vertices in a network in terms of the fraction of shortest paths that pass through them. Exact computation in large networks is prohibitively expensive and fast approximation algorithms are required in these cases. We present two efficient randomized algorithms for betweenness estimation. The algorithms are based on random sampling of shortest paths and offer probabilistic guarantees on the quality of the approximation. The first algorithm estimates the betweenness of all vertices: all approximated values are within an additive factor ε from the real values, with probability at least $1 - \delta$. The second algorithm focuses on the top- K vertices with highest betweenness and approximate their betweenness within a multiplicative factor ε , with probability at least $1 - \delta$. This is the first algorithm that can compute such approximation for the top- K vertices. We use results from the VC-dimension theory to develop bounds to the sample size needed to achieve the desired approximations. By proving upper and lower bounds to the VC-dimension of a range set associated with the problem at hand, we obtain a sample size that is independent from the number of vertices in the network and only depends on a characteristic quantity that we call the vertex-diameter, that is the maximum number of vertices in a shortest path. In some cases, the sample size is completely independent from any property of the graph. The extensive experimental evaluation that we performed using real and artificial networks shows that our algorithms are significantly faster and much more scalable as the number of vertices in the network grows than previously presented algorithms with similar approximation guarantees.

Categories and Subject Descriptors

G.2.2 [Discrete Mathematics]: Graph Theory—*Graph algorithms*;
H.2.8 [Database Management]: Database Applications—*Data mining*

Keywords

Betweenness centrality, graph mining, range set, sampling, social network analysis, VC-dimension, vertex diameter

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.
WSDM '14, February 24–28, 2014, New York, New York, USA.
Copyright 2014 ACM 978-1-4503-2351-2/14/02 ...\$15.00.
<http://dx.doi.org/10.1145/2556195.2556224>.

1. INTRODUCTION

Centrality indices are fundamental metrics for network analysis. They express the relative importance of a vertex in the network. Some of them, e.g., degree centrality, reflect local properties of the underlying graph, while others, like betweenness centrality, give information about the global network structure, as they are based on shortest path computation and counting [28]. In this work we are interested in *betweenness centrality* [3, 14], that is, for every vertex in the graph, the fraction of shortest paths that goes through that vertex (see Section 3 for formal definitions). Betweenness centrality has been used to analyze social and protein interaction networks, to evaluate traffic in communication networks, and to identify important intersections in road networks [15, 28]. There exist polynomial-time algorithms to compute the exact betweenness centrality [8], but they are not practical for the analysis of the very large networks that are of interest these days. Graphs representing online social networks, communication networks, and the web graph have millions of nodes and billions of edges, making a polynomial-time algorithm too expensive in practice. Given that data mining is exploratory in nature, approximate results are usually sufficient, especially if the approximation error is guaranteed to be within user-specified limits. In practice, the user is interested in the relative ranking of the vertices according to their betweenness, rather than the actual value of the betweenness, so a very good estimation of the value of each vertex is sufficiently informative for most purposes. It is therefore natural to develop algorithms that trade off accuracy for speed and efficiently compute high-quality approximations of the betweenness of the vertices. Nevertheless, in order for these algorithms to be practical it is extremely important that they scale well and have a low runtime dependency on the size of the network (number of vertices and/or edges).

Our contributions. We present two randomized algorithms to approximate the betweenness centrality (and some of its variants) of the vertices of a graph. The first algorithm guarantees that the estimated betweenness values for all vertices are within an *additive* factor ε from the real values, with probability at least $1 - \delta$. The second algorithm focuses on the top- K vertices with highest betweenness and returns a *superset* of the top- K , while ensuring that the estimated betweenness for all returned vertices is within a *multiplicative* factor ε from the real value, with probability at least $1 - \delta$. This is the first algorithm to reach such a high-quality approximation for the set of top- K vertices. The algorithms are based on random sampling of shortest paths. The analysis to derive the sufficient sample size is novel and uses notions and results from VC-dimension theory. We define a range set associated with the problem at hand and prove strict bounds to its VC-dimension. The resulting sample size *does not depend on the size of the graph*, but only on the maximum

number of vertices in a shortest path, a *characteristic quantity* of the graph that we call the *vertex-diameter*. For some networks, we show that the VC-dimension is actually at most a constant and so the sample size depends *only on the approximation parameters* and not on any property of the graph, a somewhat surprising fact that points out interesting insights. Thanks to the lower runtime dependency on the size of the network, our algorithms are *much faster and more scalable* than previous contributions [10, 15, 18], while offering the same approximation guarantees. Moreover, the amount of work performed by our algorithms per sample is also less than that of others algorithms. We extensively evaluated our methods on real graphs and compared their performances to the exact algorithm for betweenness centrality [8] and to other sampling-based approximation algorithms [10, 15, 18], showing that our methods achieve a huge speedup (3 to 4 times faster) and scale much better as the number of vertices in the network grows.

We present related work in Sect. 2. Section 3 introduces all the basic definitions and results that we will use throughout the paper. A range set for the problem at hand and the bounds to its VC-dimension are presented in Sect. 4. Based on these results we develop and analyze algorithms for betweenness estimation that we present in Sect. 5. Section 6 reports the methodology and the results of our extensive experimental evaluation.

2. RELATED WORK

Over the years, a number of centrality measures have been defined [28]. In this work we focus on betweenness centrality and some of its variants.

Betweenness centrality was introduced in the sociology literature [3, 14]. Brandes [9] presents a number of minor variants. A particularly interesting one, k -bounded-distance betweenness, limits the length of the shortest paths considered when computing the centrality [7, 9, 29]. This is not to be confused with k -path betweenness centrality defined by Kourtellis et al. [20], which considers simple random walks that are not necessarily shortest paths. Dolev et al. [12] present a generalization of betweenness centrality which takes into account routing policies in the network.

The need of fast algorithms to compute the betweenness of vertices in a graph arose as large online social networks started to appear. Brandes [8] presents the first efficient algorithm for the task, running in time $O(nm)$ on unweighted graphs and $O(nm + n^2 \log n)$ on weighted ones. The algorithm computes, for each vertex v , the shortest path to every other vertex and then traverses these paths backwards to efficiently compute the contribution of the shortest paths from v to the betweenness of other vertices. For very large networks, the cost of this algorithm would still be prohibitive in practice, so many approximation algorithms were developed [4, 10, 15, 18, 23, 25]. The use of random sampling was one of the more natural approaches to speed up the computation of betweenness. Inspired by the work of Eppstein and Wang [13], Jacob et al. [18] and independently Brandes and Pich [10] present an algorithm that mimics the exact one, with the difference that, instead of computing the contribution of all vertices to the betweenness of the others, it only considers the contributions of some vertices sampled uniformly at random. To guarantee that all estimates are within ε from their real value with probability at least $1 - \delta$, the algorithm from [10, 18] needs $O(\log(n/\delta)/\varepsilon^2)$ samples. The analysis for the derivation of the sample size uses Hoeffding bounds [17] and the union bound [26]. Geisberger et al. [15] noticed that this can lead to an overestimation of the betweenness of vertices that are close to the sampled ones and introduced different unbiased estimators that are experimentally shown to have smaller variance and do not suffer from this overshooting. Our algorithm is different from these

because we sample, each time, a single random shortest path. This leads to a much smaller sample size and less work done for each sample, resulting in a much faster way to compute approximations of the betweenness with the same probabilistic guarantees. We delve more in the comparisons with these algorithms in Sect. 5.3 and 6.

A number of works explored the use of adaptive sampling, in contrast with the previous algorithms (and ours) which use a fixed sample size. Bader et al. [4] present an adaptive sampling algorithm which computes good estimations for the betweenness of high-centrality vertices, by keeping track of the partial contribution of each sampled vertex, obtained by performing a single-source shortest paths computation to all other vertices. Maiya and Berger-Wolf [25] use concepts from expander graphs to select a connected sample of vertices. They estimate the betweenness from the sample, which includes the vertices with high centrality. They build the connected sample by adding the vertex which maximizes the number of connections with vertices not already in the sample. Modified versions of this algorithm and an extensive experimental evaluation appeared in [23]. The algorithm does not offer any guarantee on the quality of the approximations. Compared to these adaptive sampling approaches, our methods ensure that the betweenness of all (or top- K) vertices is well approximated, while using a fixed, predetermined amount of samples. Sariyüce et al. [33] present an algorithm that pre-processes the network in multiple ways by removing degree-1 vertices and identical vertices, and splits it in separate components where the computation of betweenness can be performed independently and then aggregated. They do not present an analysis of the complexity of the algorithm.

In the analysis of our algorithm we use results from VC-dimension theory [34], a key component of statistical learning theory. We compute an upper bound to the VC-dimension of a range set defined on shortest paths. Kranakis et al. [21] present a number of results on the VC-dimension of various range sets for graphs (stars, connected sets of vertices, sets of edges), but do not deal with shortest paths. Abraham et al. [1] use VC-dimension to speed up shortest path computation but their range set is different from the one we use: their ground set is the set of vertices while ours is defined on shortest paths.

3. PRELIMINARIES

In this section we introduce the definitions and lemmas that we will use to develop and analyze our results throughout the paper.

3.1 Graphs and betweenness centrality

Let $G = (V, E)$ be a graph, where $E \subseteq V \times V$, with $n = |V|$ vertices and $m = |E|$ edges. The graph G can be directed or undirected. We assume that there are no self-loops from one vertex to itself and no multiple edges between a pair of vertices. Each edge $e \in E$ has a non-negative weight $w(e)$. Given a pair of distinct vertices $(u, v) \in V \times V$, $u \neq v$, a *path* $p_{uv} \subseteq V$ from u to v is an ordered sequence of vertices $p_{uv} = (w_1, \dots, w_{|p_{uv}|})$ such that $w_1 = u$, $w_{|p_{uv}|} = v$ and for each $1 \leq i < |p_{uv}|$, $(w_i, w_{i+1}) \in E$. The vertices u and v are called the *end points* of p_{uv} and the vertices in $\text{Int}(p_{uv}) = p_{uv} \setminus \{u, v\}$ are the *internal vertices* of p_{uv} . The *weight* $w(p_{uv})$ of a path $p_{uv} = (u = w_1, w_2, \dots, w_{|p_{uv}|} = v)$ from u to v is the sum of the weights of the edges composing the path: $w(p_{uv}) = \sum_{i=1}^{|p_{uv}|-1} w((w_i, w_{i+1}))$. We denote with $|p_{uv}|$ the number of vertices composing the path and call this the *size of the path* p_{uv} . Note that if the weights are not all unitary, it is not necessarily true that $w(p_{uv}) = |p_{uv}| - 1$. A special and

degenerate path is the *empty path* $p_\emptyset = \emptyset$, which by definition has weight $w(p_\emptyset) = \infty$, no end points, and $\text{Int}(p_\emptyset) = \emptyset$.

Given two distinct vertices $(u, v) \in V \times V$, the *shortest path distance* d_{uv} between u and v is the weight of a path with minimum weight between u and v among all paths between u and v . If there is no path between u and v , $d_{uv} = \infty$. We call a path between u and v with weight d_{uv} a *shortest path between u and v* . There can be multiple shortest paths between u and v and we denote the set of these paths as \mathcal{S}_{uv} and the number of these paths as $\sigma_{uv} = |\mathcal{S}_{uv}|$. If there is no path between u and v , then $\mathcal{S}_{uv} = \{p_\emptyset\}$ ¹. We denote with \mathbb{S}_G the union of all the \mathcal{S}_{uv} 's, for all pairs $(u, v) \in V \times V$ of distinct nodes $u \neq v$:

$$\mathbb{S}_G = \bigcup_{\substack{(u,v) \in V \times V \\ u \neq v}} \mathcal{S}_{uv} .$$

We now define a characteristic quantity of a graph that we will use throughout the paper.

Definition 1. Given a graph $G = (V, E)$, the *vertex-diameter* $\text{VD}(G)$ of G is the size of the shortest path in G with maximum size:

$$\text{VD}(G) = \max \{ |p| : p \in \mathbb{S}_G \} .$$

The vertex-diameter is the maximum number of vertices among all shortest paths in G . If all the edge weights are unitary, then $\text{VD}(G)$ is equal to $\text{diam}(G) + 1$, where $\text{diam}(G)$ is the number of edges composing the longest shortest path in G .

Given a vertex v , let $\mathcal{T}_v \subseteq \mathbb{S}_G$ be the set of all shortest paths that v is *internal* to:

$$\mathcal{T}_v = \{ p \in \mathbb{S}_G : v \in \text{Int}(p) \} .$$

In this work we are interested in the *betweenness centrality* of the vertices of a graph.

Definition 2. [3, 14] Given a graph $G = (V, E)$, the *betweenness centrality of a vertex $v \in V$* is defined as²

$$b(v) = \frac{1}{n(n-1)} \sum_{p_{uv} \in \mathbb{S}_G} \frac{\mathbb{1}_{\mathcal{T}_v}(p)}{\sigma_{uv}} .$$

It is easy to see that $b(v) \in [0, 1]$. Brandes [8] presented an algorithm to compute the betweenness centrality for all $v \in V$ in time $O(nm)$ for unweighted graphs and $O(nm + n^2 \log n)$ for weighted graphs.

A ‘‘local’’ variant of betweenness, called *k -bounded-distance betweenness*³ only considers the contribution of shortest paths of size up to $k + 1$ [7, 9]. For $k > 1$ and any pair of distinct vertices $u, v \in V, u \neq v$, let $\mathcal{S}_{uv}^{(k)} \subseteq \mathcal{S}_{uv}$ be the set of shortest paths from u to v of size at most $k + 1$, with $\sigma_{uv}^{(k)} = |\mathcal{S}_{uv}^{(k)}|$, and let $\mathbb{S}_G^{(k)}$ be the union of all the $\mathcal{S}_{uv}^{(k)}$. Let $\mathcal{T}_v^{(k)} \subseteq \mathcal{T}_v$ be the set of all shortest paths of size up to k that v is internal to, for each $v \in V$.

Definition 3. [7, 9] Given a graph $G = (V, E)$ and an integer $k > 1$, the *k -bounded-distance betweenness centrality of a vertex*

¹Note that even if $p_\emptyset = \emptyset$, the set $\{p_\emptyset\}$ is not empty. It contains one element.

²We use the normalized version of betweenness as we believe it to be more suitable for presenting approximation results.

³Bounded-distance betweenness is also known as *k -betweenness*. We prefer the former denomination to avoid confusion with *k -path betweenness*.

$v \in V$ is defined as

$$\text{bb}^{(k)}(v) = \frac{1}{n(n-1)} \sum_{p_{uv} \in \mathbb{S}_G^{(k)}} \frac{\mathbb{1}_{\mathcal{T}_v^{(k)}}(p)}{\sigma_{uv}^{(k)}} .$$

Other variants of centrality are presented in the extended version [31].

3.2 Vapnik-Chervonenkis dimension

The Vapnik-Chervonenkis (VC) dimension of a class of subsets defined on a set of points is a measure of the complexity or expressiveness of such class [34]. Given a probability distribution on the set of points, a finite bound on the VC-dimension of the class of subsets implies a bound on the number of random samples required to approximate the probability of each subset in the class with its empirical average. We outline here some basic definitions and results and refer the reader to the book by Mohri et al. [27] for an in-depth presentation.

Let D be a domain and \mathcal{R} be a collection of subsets from D . We call \mathcal{R} a *range set on D* . Given $B \subseteq D$, the *projection of \mathcal{R} on B* is the set $P_{\mathcal{R}}(B) = \{B \cap A : A \in \mathcal{R}\}$. We say that the set B is *shattered* by \mathcal{R} if $P_{\mathcal{R}}(B) = 2^B$.

Definition 4. The *Vapnik-Chervonenkis (VC) dimension of \mathcal{R}* , denoted as $\text{VC}(\mathcal{R})$, is the cardinality of the largest subset of D that is shattered by \mathcal{R} .

The main application of VC-dimension in statistics and learning theory is in computing the number of samples needed to approximate the probabilities of the ranges using their empirical averages as unbiased estimators. Formally, let $X_1^k = (X_1, \dots, X_k)$ be a collection of independent identically distributed random variables taking values in D , sampled according to some distribution ϕ defined on the elements of D . For a set $A \subseteq D$, let $\phi(A)$ be the probability that a sample from ϕ belongs to the set A , and let the *empirical average of $\phi(A)$ on X_1^k* be

$$\phi_{X_1^k}(A) = \frac{1}{k} \sum_{j=1}^k \mathbb{1}_A(X_j) .$$

The empirical average of $\phi(A)$ can be used as an *unbiased estimator* for $\phi(A)$.

Definition 5. Let \mathcal{R} be a range set on D and ϕ be a probability distribution on D . For $\varepsilon \in (0, 1)$, an *ε -approximation to (\mathcal{R}, ϕ)* is a bag S of elements of D such that

$$\sup_{A \in \mathcal{R}} |\phi(A) - \phi_S(A)| \leq \varepsilon .$$

When an upper bound to the VC-dimension of \mathcal{R} is available, it is possible to build an ε -approximation by sampling points of the domain according to the distribution ϕ .

THEOREM 1 (THM. 2.12 [16] (SEE ALSO [22])). *Let \mathcal{R} be a range set on a domain D with $\text{VC}(\mathcal{R}) \leq d$, and let ϕ be a distribution on D . Given $\varepsilon, \delta \in (0, 1)$ let S be a collection of $|S|$ points from D sampled according to ϕ , with*

$$|S| = \frac{c}{\varepsilon^2} \left(d + \ln \frac{1}{\delta} \right) \quad (1)$$

where c is an universal positive constant. Then S is an ε -approximation to (\mathcal{R}, ϕ) with probability at least $1 - \delta$.

The constant c is approximately 0.5 [24]. It is possible to obtain *relative* guarantees on the approximation.

Definition 6. Let \mathcal{R} be a range set on D and ϕ be a probability distribution on D . For $p, \varepsilon \in (0, 1)$, a *relative (p, ε) -approximation* to (\mathcal{R}, ϕ) is a bag S of elements from D such that

- For any $A \in \mathcal{R}$ such that $\phi(A) \geq p$, we have
$$|\phi(A) - \phi_S(A)| \leq \varepsilon \phi(A) .$$
- For any $B \in \mathcal{R}$ such that $\phi(B) < p$, we have $\phi_S(B) \leq (1 + \varepsilon)p$.

THEOREM 2 (THM. 2.11 [16]). *Let \mathcal{R} be a range set on a domain D with $\text{VC}(\mathcal{R}) \leq d$, and let ϕ be a distribution on D . Given $\varepsilon, \delta, p \in (0, 1)$ let S be a collection of $|S|$ points from D sampled according to ϕ , with*

$$|S| \geq \frac{c'}{\varepsilon^2 p} \left(d \log \frac{1}{p} + \log \frac{1}{\delta} \right) \quad (2)$$

where c' is an absolute positive constant. Then S is a relative (p, ε) -approximation to (\mathcal{R}, ϕ) with probability at least $1 - \delta$.

It is important to mention that if $\text{VC}(\mathcal{R})$ and/or the upper bound d do not depend on $|D|$ or on $|\mathcal{R}|$ neither do the sample sizes presented in Thm. 1 and 2. This will make our algorithms scale well as the size of the network increases.

4. A RANGE SET OF SHORTEST PATHS

We now define a range set of the shortest paths of a graph $G = (V, E)$, and present a strict upper bound to its VC-dimension. We use the range set and the bound in the analysis of our algorithms for estimating the betweenness centrality of vertices of G .

The range set \mathcal{R}_G is defined on the set \mathbb{S}_G of all shortest paths between vertices of G . It contains, for each vertex $v \in V$, the set \mathcal{T}_v of shortest paths that v is internal to:

$$\mathcal{R}_G = \{\mathcal{T}_v : v \in V\} .$$

LEMMA 1. $\text{VC}(\mathcal{R}_G) \leq \lfloor \log_2(\text{VD}(G) - 2) \rfloor + 1$.

PROOF. Let $\ell > \lfloor \log_2(\text{VD}(G) - 2) \rfloor + 1$ and assume for the sake of contradiction that $\text{VC}(\mathcal{R}_G) = \ell$. From the definition of the VC-dimension there is a set $Q \subseteq \mathbb{S}_G$ of size ℓ that is shattered by \mathcal{R}_G . Let p be an element of Q . There are $2^{\ell-1}$ non-empty subsets of Q containing the path p . Let us label these non-empty subsets of Q containing p as $S_1, \dots, S_{2^{\ell-1}}$, where the labelling is arbitrary. Given that Q is shattered, for each set S_i there must be a range R_i in \mathcal{R}_G such that $S_i = Q \cap R_i$. Since all the S_i 's are different from each other, then all the R_i 's must be different from each other. Given that p belongs to each S_i , then p must also belong to each R_i , that is, there are $2^{\ell-1}$ distinct ranges in \mathcal{R}_G containing p . But p belongs only to the ranges corresponding to internal vertices of p , i.e., to vertices in $\text{Int}(p)$. This means that the number of ranges in \mathcal{R}_G that p belongs to is equal to $|p| - 2$. But $|p| \leq \text{VD}(G)$, by definition of $\text{VD}(G)$, so p can belong to at most $\text{VD}(G) - 2$ ranges from \mathcal{R}_G . Given that $2^{\ell-1} > \text{VD}(G) - 2$, we reached a contradiction and there cannot be $2^{\ell-1}$ distinct ranges containing p , hence not all the sets S_i can be expressed as $Q \cap R_i$ for some $R_i \in \mathcal{R}_G$. Then Q cannot be shattered and $\text{VC}(\mathcal{R}_G) \leq \lfloor \log_2(\text{VD}(G) - 2) \rfloor + 1$. \square

Unique shortest paths.

In the restricted case when the graph is undirected and every pair of distinct vertices has either none or a unique shortest path between them, the VC-dimension of \mathcal{R}_G reduces to a *constant*.

This is a somewhat surprising result with interesting consequences. From a theoretical point of view, it suggests that there should be other characteristic quantities of the graph different from the vertex diameter that control the VC-dimension of the range set of shortest paths, and these quantities are constant on graph with unique shortest paths between vertices. From a more practical point of view, we will see in Sect. 5 that this result has an impact on the sample size needed to approximate the betweenness centrality of networks where the unique-shortest-path property is satisfied or even enforced, like road networks [15]. In particular, the resulting sample size will be *completely independent* from any characteristic of the network, and will only be a function of the parameters controlling the desired approximation guarantees. We are currently investigating whether this result can be extended to the case of directed graphs. Due to space constraints, we defer the proof to the extended online version of the paper [31].

LEMMA 2. *Let $G = (V, E)$ be an undirected graph with $|\mathcal{S}_{uv}| \leq 1$ for all pairs $(u, v) \in V \times V$. Then $\text{VC}(\mathcal{R}_G) \leq 3$.*

Bounded-distance betweenness.

For the case of k -bounded-distance betweenness, if we let $\mathcal{R}_G^{(k)} = \{\mathcal{T}_v^{(k)} : v \in V\}$, it is easy to bound $\text{VC}(\mathcal{R}_G^{(k)})$ following the same reasoning as in Lemma 1.

LEMMA 3. $\text{VC}(\mathcal{R}_G^{(k)}) \leq \lfloor \log_2(k - 1) \rfloor + 1$.

4.1 Tightness

The bound presented in Lemma 1 is strict in the sense that for each $d \geq 1$ we can build a graph G_d with vertex-diameter $\text{VD}(G_d) = 2^d + 1$ and such that the range set \mathcal{R}_{G_d} associated to the set of shortest paths of G_d has VC-dimension exactly $d = \lfloor \log_2(\text{VD}(G_d) - 2) \rfloor + 1$.

There is a class $\mathcal{G} = (G_d)_{d \geq 1}$ of graphs indexed by d , such that the graphs in \mathcal{G} are the ones for which we can show the tightness of the bound to the VC-dimension of the associated range set. We call the graph $G_d \in \mathcal{G}$ the *d -th concertina graph*. Figure 1 shows G_1, G_2, G_3 , and G_4 . The generalization to higher values of d should be straightforward. Each graph G_d has $3(2^{d-1})$ vertices and vertex-diameter d .

LEMMA 4. $\text{VC}(\mathcal{R}_{G_d}) = d$.

Due to space constraints, we defer the proof to the extended online version of the paper [31].




Figure 1: Examples of concertina graphs G_d for $d = 1, 2, 3, 4$.

The upper bound presented in Lemma 2 for the case of unique shortest paths is also strict in the same sense. The proof can be found in the extended online version of the paper [31].

LEMMA 5. *There is a graph $G = (V, E)$ with $|\mathcal{S}_{uv}| \leq 1$ for all pairs $(u, v) \in V \times V$ such that the range set \mathcal{R}_G associated to the shortest paths in G has VC-Dimension exactly 3.*

5. ALGORITHMS

In this section we present our algorithms to compute a set of approximations for the betweenness centrality of the (top- K) vertices in a graph through sampling, with probabilistic guarantees on the quality of the approximations.

5.1 Approximation for all the vertices

The intuition behind the algorithm to approximate the betweenness values of all vertices is the following. Given a graph $G = (V, E)$ with vertex-diameter $\text{VD}(G)$ and two parameters $\varepsilon, \delta \in (0, 1)$ we first compute a sample size r using (1) with

$$d = \lfloor \log_2(\text{VD}(G) - 2) \rfloor + 1 .$$

The resulting sample size is

$$r = \frac{c}{\varepsilon^2} \left(\lfloor \log_2(\text{VD}(G) - 2) \rfloor + 1 + \ln \frac{1}{\delta} \right) . \quad (3)$$

This is sufficient to achieve the desired accuracy (expressed through ε) with the desired confidence (expressed through $1 - \delta$). The algorithm repeats the following steps r times: 1. it samples a pair u, v of distinct vertices uniformly at random, 2. it computes the set \mathcal{S}_{uv} of all shortest paths between u and v , 3. it selects a path p from \mathcal{S}_{uv} uniformly at random, 4. it increases by $1/r$ the betweenness estimation of each vertex in $\text{Int}(p)$. Note that if the sampled vertices u and v are not connected, we can skip steps 3 and 4 because we defined $\mathcal{S}_{uv} = \{p_\emptyset\}$. Denoting with S the set of the sampled shortest paths, the unbiased estimator $\tilde{b}(w)$ for the betweenness $b(w)$ of a vertex w is the sample average

$$\tilde{b}(w) = \frac{1}{r} \sum_{p \in S} \mathbb{1}_{\text{Int}(p)}(w) = \frac{1}{r} \sum_{p \in S} \mathbb{1}_{\mathcal{T}_w}(p) .$$

There are two crucial steps in this algorithm: the computation of $\text{VD}(G)$ and the sampling of a path uniformly at random from \mathcal{S}_{uv} . We first deal with the latter, and then present a linear-time constant-factor approximation algorithm for $\text{VD}(G)$. Algorithm 1 presents the pseudocode of the algorithm, including the steps to select a random path. The `computeAllShortestPaths(u, v)` on line 8 is a call to a modified Dijkstra's (or BFS) algorithm to compute the set \mathcal{S}_{uv} , with the same modifications as [8]. The `getDiameterApprox()` procedure computes an approximation for $\text{VD}(G)$.

Unique shortest paths.

When, for each pair (u, v) of vertices of G , either there is a unique shortest path from u to v or v is unreachable from u , then one can apply Lemma 2 and obtain a smaller sample size

$$r = \frac{c}{\varepsilon^2} \left(3 + \ln \frac{1}{\delta} \right)$$

to approximate the betweenness values of all the vertices. This is an interesting result: the number of samples needed to compute a good approximation to all vertices is a *constant* and completely *independent* from G . Intuitively, this means that the algorithm is extremely fast on graphs with this property. Unique shortest paths are common or even enforced in road networks by slightly perturbing the edge weights or having a deterministic tie breaking policy [15].

Bounded-distance betweenness.

For the case of k -bounded-distance betweenness, the sample size on line 6 of Alg. 1 can be reduced to

$$r = \frac{c}{\varepsilon^2} \left(\lfloor \log_2(k - 1) \rfloor + 1 + \ln \frac{1}{\delta} \right)$$

and the computation of the shortest paths on line 8 can be stopped after we reached the vertices that are k ‘‘hops’’ far from u .

Sampling a shortest path.

Our procedure to select a random shortest path from \mathcal{S}_{uv} is inspired by the dependencies accumulation procedure used in Brandes' exact algorithm [8]. Let u and v be the vertices sampled by our algorithm (Step 7 of Alg. 1). We assume that u and v are connected otherwise the only possibility is to select the empty path p_\emptyset . Let y be any vertex belonging to at least one shortest path from u to v . Following Brandes [8], we can compute σ_{uy} and \mathcal{S}_{uy} while we compute the set \mathcal{S}_{uv} of all the shortest paths from u to v . We can then use this information to select a shortest path p uniformly at random from \mathcal{S}_{uv} as follows. For each vertex w let $P_u(w)$ be the subset of neighbors of w that are *predecessors* of w along the shortest paths from u to w . Let $p^* = \{v\}$. Starting from v , we select one of its predecessors $z \in P_u(v)$ using weighted random sampling: each $z \in P_u(v)$ has probability $\sigma_{uz} / \sum_{w \in P_u(v)} \sigma_{uw}$ of being sampled. We add z to p^* and then repeat the procedure for z . That is, we select one of z 's predecessors from $P_u(z)$ using weighted sampling and add it to p^* , and so on until we reach u . Note that we can update the estimation of the betweenness of the internal vertices along p^* (the only ones for which the estimation is updated) as we compute p^* .

LEMMA 6. *The path p^* built according to the above procedure is selected uniformly at random among the paths in \mathcal{S}_{uv} .*

PROOF. The probability of sampling $p^* = (u, z_1, \dots, z_{|p^*|-2}, v)$ equals to the product of the probabilities of sampling the vertices internal to p^* , hence

$$\Pr(p^*) = \frac{\sigma_{uz_{|p^*|-2}}}{\sigma_{uv}} \frac{\sigma_{uz_{|p^*|-3}}}{\sigma_{uz_{|p^*|-2}}} \dots \frac{1}{\sigma_{uz_2}} = \frac{1}{\sigma_{uv}}$$

where we used [8, Lemma3] which tells us that for $w \neq u$,

$$\sigma_{uw} = \sum_{j \in P_u(w)} \sigma_{uj}$$

and the fact that for z_1 , which is a neighbor of u , $\sigma_{uz_1} = 1$. \square

Approximating the vertex-diameter.

The algorithm presented in the previous section requires the value of the vertex-diameter $\text{VD}(G)$ of the graph G (line 4 of Alg. 1). Computing the exact value of $\text{VD}(G)$ could be done by solving the All Pair Shortest Paths (APSP) problem, and taking the shortest path with the maximum size. Algorithms for exactly solving APSP problem such as Johnson's which runs in $O(V^2 \log V + VE)$ or Floyd-Warshall's ($\Theta(V^3)$), would defeat our purposes: once we have all the shortest paths for the computation of the diameter, we could as well compute the betweenness of all the vertices exactly. Given that Thm. 1 (and Thm. 2) only requires an upper bound to the VC-dimension of the range set, an approximation of the vertex-diameter would be sufficient for our purposes. Several refined algorithms for approximating the diameter are known [2, 6, 32], with various running times and quality of approximations. We briefly present a well-known and simple approximation algorithm that has the right balance of accuracy and speed for our purposes.

Algorithm 1: Computes approximations $\tilde{b}(v)$ of the betweenness centrality $b(v)$ for all vertices $v \in V$.

Input : Graph $G = (V, E)$ with $|V| = n, \varepsilon, \delta \in (0, 1)$
Output: A set of approximations of the betweenness centrality of the vertices in V

```

1 foreach  $w \in V$  do
2    $\tilde{b}(v) \leftarrow 0$ 
3 end
4  $\text{VD}(G) \leftarrow \text{getVertexDiameter}(G)$ 
5  $r \leftarrow (c/\varepsilon^2)(\lceil \log_2(\text{VD}(G) - 2) \rceil + \ln(1/\delta))$ 
6 for  $i \leftarrow 1$  to  $r$  do
7    $(u, v) \leftarrow \text{sampleUniformVertexPair}(V)$ 
8    $\mathcal{S}_{uv} \leftarrow \text{computeAllShortestPaths}(u, v)$ 
9   if  $\mathcal{S}_{uv} \neq \{p_\emptyset\}$  then
10    //Random path sampling and
11    estimation update
12     $j \leftarrow v$ 
13     $s \leftarrow v$ 
14     $t \leftarrow v$ 
15    while  $t \neq u$  do
16      sample  $z \in P_s(t)$  with probability  $\sigma_{uz}/\sigma_{us}$ 
17      if  $z \neq u$  then
18         $\tilde{b}(z) \leftarrow \tilde{b}(z) + 1/r$ 
19         $s \leftarrow t$ 
20         $t \leftarrow z$ 
21      end
22    end
23 return  $\{(v, \tilde{b}(v)), v \in V\}$ 

```

Let $G = (V, E)$ be an *undirected* graph where *all the edge weights are equal*. It is a well-known result that one can obtain a 2-approximation $\tilde{\text{VD}}(G)$ of the vertex-diameter $\text{VD}(G)$ of G in time $O(V + E)$ in the following way: 1. select a vertex $v \in V$ uniformly at random, 2. compute the shortest paths from v to all other vertices in V , and 3. finally take $\tilde{\text{VD}}(G)$ to be the sum of the lengths of the two shortest paths with maximum size (which equals to the two longest shortest paths) from v to two distinct other nodes u and w . In case we have multiple connected components in G , we compute an upper bound to the vertex diameter of each component separately by running the above algorithm on each component, and then taking the maximum. The connected components can be computed in $O(n + m)$ by traversing the graph in a Breadth-First-Search (BFS) fashion starting from a random v . The time complexity of the approximation algorithm in the case of multiple connected components is again $O(n + m)$ since the sum of the vertices of individual components is n and the sum of edges is m .

The use of the above 2-approximation in the computation of the sample size from line 6 of Alg. 1 results in at most c/ε^2 additional samples than if we used the exact value $\text{VD}(G)$. The computation of $\tilde{\text{VD}}(G)$ does not affect the running time of our algorithm: for the construction of the first sample we can reuse the shortest paths from the sampled vertex v that we used to obtain the approximation. Specifically, we can sample a new vertex $u \neq v$ and then choose with uniform probability one of the (already computed) shortest paths between v and u .

If the graph is directed and/or not all edge weights are equal, the computation of a good approximation to $\text{VD}(G)$ becomes more problematic. In particular, notice that there is no relationship between $\text{VD}(G)$ and $\text{diam}(G)$ when G is weighted, as the shortest path with maximum size may not be the shortest path with maximum weight. In these cases, one can use the size (number of vertices) of the largest Weakly Connected Component (WCC), as a loose upper bound to $\text{VD}(G)$. The WCC's can again be computed in $O(n + m)$ using BFS. This quantity can be as high as n but for the computation of the sample size we use its logarithm, mitigating the crudeness of the bound. In this case our sample size is comparable to that proposed by Brandes and Pich [10]. Nevertheless the amount of work done per sample by our algorithm is still much smaller (see Sect. 5.3 and 6 for more details). In practice, it is possible that the nature of the network suggests a much better upper bound to the vertex-diameter of the graph, resulting in a smaller sample size.

Analysis.

Algorithm 1 offers probabilistic guarantees on the quality of all approximations of the betweenness centrality.

LEMMA 7. *With probability at least $1 - \delta$, all the approximations computed by the algorithm are within ε from their real value:*

$$\Pr(\exists v \in V \text{ s.t. } |b(v) - \tilde{b}(v)| > \varepsilon) < \delta.$$

PROOF. For each $p_{uv} \in \mathbb{S}_G$ let

$$\pi_G(p_{uv}) = \frac{1}{n(n-1)} \frac{1}{\sigma_{uv}}.$$

It is easy to see that π_G is a probability distribution and $\pi_G(p_{uv})$ is the probability of sampling the path p_{uv} during an execution of the loop on line 6 in Alg. 1, given the way that the vertices u and v are selected and Lemma 6.

Consider the range set \mathcal{R}_G and the probability distribution π_G . Let S be the set of paths sampled during the execution of the algorithm. For r as in (3), Thm. 1 tells us that the sample S is a ε -approximation to (\mathcal{R}_G, π_G) with probability at least $1 - \delta$. Suppose that this is indeed the case, then from Def. 5 and the definition of \mathcal{R}_G we have that

$$\left| \pi_G(\mathcal{T}_v) - \frac{1}{r} \sum_{p \in S} \mathbb{1}_{\mathcal{T}_v}(p) \right| = \left| \pi_G(\mathcal{T}_v) - \tilde{b}(v) \right| \leq \varepsilon, \forall v \in V.$$

From the definition of π_G we have

$$\pi_G(\mathcal{T}_v) = \frac{1}{n(n-1)} \sum_{p_{uw} \in \mathcal{T}_v} \frac{1}{\sigma_{uw}} = b(v),$$

which concludes the proof. \square

5.2 High-quality approximation of the top- K betweenness vertices

Very often in practice one is interested only in identifying the vertices with the highest betweenness centrality, as they are the “primary actors” in the network. We present here an algorithm to compute a very high-quality approximation of the set $\text{TOP}(K, G)$ of the top- K betweenness vertices in a graph $G = (V, E)$. Formally, let v_1, \dots, v_n be a labelling of the vertices in V such that $b(v_i) \geq b(v_j)$ for $1 \leq i < j \leq n$. Then $\text{TOP}(K, G)$ is defined as the set of vertices with betweenness at least $b(v_K)$:

$$\text{TOP}(K, G) = \{(v, b(v)), : v \in V \text{ and } b(v) \geq b(v_K)\}.$$

Note that $\text{TOP}(K, G)$ may contain more than K vertices.

Our algorithm works in two phases. Each phase is basically a run of the algorithm for approximating the betweenness of all vertices. The two phases differ in the way they compute the number of paths to sample and the additional operations at the end of each phase. In the first phase, we compute a lower bound ℓ' to $b(v_K)$. In the second phase we use ℓ' to compute the number of samples r needed to obtain a relative (ℓ', ε) -approximation to (\mathcal{R}_G, π_G) . We use r samples to approximate the betweenness of all vertices again, and return a collection of vertices that is, with high probability, a superset of $\text{TOP}(K, G)$.

Let $\widetilde{\text{VD}}(G)$ be an upper bound to the vertex-diameter of G . Given $\varepsilon, \delta \in (0, 1)$, let δ', δ'' be two positive reals such that $(1 - \delta')(1 - \delta'') \geq (1 - \delta)$. Let

$$r' = \frac{c}{\varepsilon^2} \left(\lfloor \log_2(\widetilde{\text{VD}}(G) - 2) \rfloor + 1 + \log \frac{1}{\delta'} \right).$$

Let \tilde{b}'_k be the K -th highest estimated betweenness obtained using Algorithm 1 where $r = r'$, and let $\ell' = \tilde{b}'_K - \varepsilon$, and

$$r'' = \frac{c'}{\varepsilon^2 \ell'} \left((\lfloor \log_2(\widetilde{\text{VD}}(G) - 2) \rfloor + 1) \log \frac{1}{\ell'} + \log \frac{1}{\delta''} \right).$$

We run Algorithm 1 with $r = r''$ and let \tilde{b}''_K be the so-obtained K -th highest estimated betweenness. Let $\ell'' = \min\{\tilde{b}''(v)/(1 + \varepsilon) : v \in V \text{ s.t. } \tilde{b}''(v) \geq \tilde{b}''_K\}$. We return the collection $\widetilde{\text{TOP}}(K, G)$ of vertices v such that $\tilde{b}''(v) * (1 + \varepsilon)/(1 - \varepsilon) \geq \ell''$:

$$\widetilde{\text{TOP}}(K, G) = \left\{ v \in V : \tilde{b}''(v) \frac{1 + \varepsilon}{1 - \varepsilon} \geq \ell'' \right\}.$$

LEMMA 8. *With probability at least $1 - \delta$,*

1. $\text{TOP}(K, G) \subseteq \widetilde{\text{TOP}}(K, G)$, and
2. for all $v \in \text{TOP}(K, G)$ we have $|\tilde{b}''(v) - b(v)| \leq \varepsilon b(v)$, and
3. no vertex $u \in \widetilde{\text{TOP}}(K, G) \setminus \text{TOP}(K, G)$ has an estimated betweenness greater than $\ell'(1 + \varepsilon)$.

We refer the reader interested in the proof to the extended online version of the paper [31].

The advantage of using our algorithm to approximate the collection of top- K betweenness vertices consists in the very high-quality approximation of the betweenness values for the returned set of vertices: they are all within a multiplicative factor ε from their exact values. By reverse-sorting them according to the approximated betweenness, one can obtain a ranking that is very similar to the original exact one. Previous algorithms could not achieve such a good ranking as they were only able to approximate the betweenness values to within an additive error ε . The cost of computing the high quality approximation for the top- K vertices is the cost of an additional run of our algorithm to compute good approximations for all the vertices.

5.3 Discussion

Jacob et al. [18] and independently Brandes and Pich [10] present a sampling-based algorithm to approximate the betweenness centrality of all the vertices of the graph. The algorithm (which we call BP) creates a sample $S = \{v_1, \dots, v_r\}$ of r vertices drawn uniformly at random and computes all the shortest paths between each v_i to all other vertices in the graph. Their estimation $\tilde{b}_{\text{BP}}(u)$ for $b(u)$ is

$$\tilde{b}_{\text{BP}}(u) = \frac{1}{(n-1)r} \sum_{v_i \in S} \sum_{\substack{w \neq v_i \\ w \neq u}} \sum_{p \in \mathcal{S}_{v_i w}} \frac{\mathbb{1}_{\text{Int}(p)}(u)}{|\mathcal{S}_{v_i w}|}.$$

As it was for Algorithm 1, the key ingredient to ensure a correct approximation for the betweenness centrality is the computation of the sample size r . Inspired by the work of Eppstein and Wang [13], Brandes and Pich [10] prove that, to obtain good (within ε) estimations for the betweenness of all vertices with probability at least $1 - \delta$, it must be

$$r \geq \frac{1}{2\varepsilon^2} \left(\ln n + \ln 2 + \ln \frac{1}{\delta} \right).$$

From this expression it should be clear that this sample size is usually much larger than ours, as in practice $\text{VD}(G) \ll n$. For the same reason, this algorithm would not scale well as the network size increases (see also Sect. 6).

Another interesting aspect in which our algorithm and BP differ is the *amount of work done per sample*. Our algorithm computes a single set \mathcal{S}_{uv} for the sampled pair of vertices (u, v) : it performs a run of Dijkstra's algorithm (or of BFS) from u , stopping when v is reached. BP instead computes all the sets \mathcal{S}_{uv} from the sampled vertices u to all other vertices, again with a single run of Dijkstra or BFS, but without the "early-stopping condition" that we have when we reach v . Although in the worst case the two computations have the same time complexity⁴, in practice we perform many fewer operations, as we can expect v not to always be very far from u and therefore we can terminate early. This fact has a huge impact on the running time. Our algorithm also touches *many fewer* edges than BP. The latter can touch all the edges in the graph *at every sample*, while our computation exhibits a much higher *locality*, exploring only a neighborhood of u until v is reached. The results of our experimental evaluation presented in Sect. 6 highlights this and other advantages of our method over the one from [10, 18]. In the future, we plan to investigate the possibility of using *bidirectional A* search* [19, 30] to further speed up the computation for each sample of our algorithms.

6. EXPERIMENTAL EVALUATION

We conducted an experimental evaluation of our algorithms, with two major driving goals in mind: study the behavior of the algorithms presented in this paper and compare it with that of other related algorithms [8, 10, 15, 18], in terms of accuracy of the estimation, execution time, work performed, and scalability as function of the network size. Due to space limitations, we only report a subset of our results and refer the reader to the extended online version of the paper [31].

Implementation and environment.

We implemented our algorithms, the one presented in [10, 18] and the linear scaling version from [15] in C, by extending the implementation of the exact algorithm [8] contained in `igraph` [11]⁵. The implementations are similarly engineered, given that they are based on the same subroutines for the computation of the shortest path (Dijkstra's algorithm for weighted graphs, BFS for unweighted ones), and they received similar amounts of optimization. We exposed our implementations through Python 3.3.1, which was used for running the simulations. We run the experiments on a quad-core AMD Phenom™II X4 955 Processor with 16GB of RAM, running Debian *wheezy* with a Linux kernel version 3.2.0.

⁴It is a well-known open problem whether there is an algorithm to perform a single s, t -shortest path computation between a pair of vertices with smaller worst-case time complexity than the Single Source Shortest Path computation.

⁵The implementations are available at <http://cs.brown.edu/~matteo/centrsampl.tar.bz2>.

Graph	Graph Properties			$\frac{\text{Time}_{\text{BP}}}{\text{Time}_{\text{VC}}}$		Graph	Graph Properties			$\frac{\text{Time}_{\text{BP}}}{\text{Time}_{\text{VC}}}$			
	V	E	VD(G)	diam-2approx			V	E	VD(G)	diam-exact		diam-UB	
				min	max					min	max	min	max
oregon1-010331	10,670	22,002	9	4.39	4.75	wiki-Vote	7,115	103,689	7	3.35	3.69	1.05	1.27
oregon1-010526	11,174	23,409	10	4.26	4.73	p2p-Gnutella25	22,687	54,705	11	5.45	5.78	1.94	2.09
ca-HepPh	12,008	237,010	13	3.06	3.33	cit-HepTh	27,770	352,807	14	3.58	3.83	1.39	1.61
ca-AstroPh	18,772	396,160	14	3.26	3.76	cit-HepPh	34,546	421,578	12	4.91	5.01	1.60	1.71
ca-CondMat	23,133	186,936	15	3.75	4.08	p2p-Gnutella30	36,682	88,328	10	5.02	5.46	2.08	2.22
email-Enron	36,692	421,578	12	3.60	4.16	soc-Epinions1	75,879	508,837	13	4.20	4.25	1.35	1.38

(a) Undirected graphs

(b) Directed graphs

Figure 2: Graph properties and running time ratios.

Datasets.

In our evaluation we used a number of graphs from the Stanford Large Network Dataset Collection⁶. These are all real world datasets including online social networks, communication (email) networks, scientific citation and academic collaboration networks, road networks, Amazon frequent co-purchased product networks, and more. Basic information about the graphs we used are reported in the two leftmost columns of Figs. 2b and 2a. We refer the reader to the SLNDC website for additional details about each dataset. To evaluate scalability we also created a number of artificial graphs of different sizes (1,000 to 100,000 vertices) using the Barabási-Albert model [5] as implemented by igraph [11].

Diameter approximation.

As we discussed in the previous sections the number of samples that the proposed algorithm requires depends on the vertex-diameter of the graph. For the computation of the vertex-diameter in case of undirected graphs we used the 2-approximation algorithm that we briefly described in Sect. 5. We denote this as “diam-2-approx” when reporting results in this section. For directed graphs, we computed the number of samples using both the exact value of the vertex-diameter (indicated as diam-exact) as well as the trivial upper bound $|V| - 2$ (indicated as diam-UB).

6.1 Accuracy


Our theoretical results from Sect. 5 guarantee that, with probability at least $1 - \delta$, all estimations of the betweenness values for all vertices in the graph are within ε for their real value. We run Algorithm 1 five times for each graph and each value of ε in $\{0.01, 0.015, 0.02, 0.04, 0.06, 0.08, 0.1\}$. The parameter δ was fixed to 0.1 and we used $c = 0.5$ in (1) to compute the sample size, as suggested by Löffler and Phillips [24]. As far as the *confidence* is concerned, we report that in all the hundreds of runs we performed, the guarantee on the quality of approximation was *always* satisfied, not just with probability $1 - \delta$ ($= 0.9$). We evaluated how good the estimated values are by computing the average *estimation error* ($\sum_{v \in V} |b(v) - \tilde{b}(v)| / |V|$) across five runs of our algorithm and taking the average and the standard deviation of this measure, for different values of ε . We also compute the maximum error $|b(v) - \tilde{b}(v)|$ overall. The results are reported in Fig. 3a for the directed graph p2p-Gnutella30, and in Fig. 3b for the undirected graph email-Enron. Results for other graphs are similar [31]. It is evident that the maximum error is an error of magnitude smaller than the guaranteed value of ε and that the average error is almost two orders of magnitude smaller than the guarantees, and the

Avg+Stddev points show that the estimation are quite concentrated around the average. We can conclude that in practice the algorithm performs even *better than guaranteed*, achieving higher accuracy and confidence than what the theoretical analysis indicates. This is due to a number of factors, like the fact that we use an *upper bound* to the VC-dimension of the range set.


6.2 Runtime

We compared the running time of Algorithm 1 (denoted in the following as VC to that of the algorithm from [10, 15, 18] (denoted as BP), and to that of the exact algorithm [8]. As VC and BP give the same guarantees on the accuracy and confidence of the computed estimations, it makes sense to compare their running times to evaluate which is faster in achieving the goal. The performances of the algorithm proposed in [15] takes the same time as BP, because it follows the same sampling approach and only differs in the definition of the estimator for the betweenness, so we do not report those. The algorithms VC and BP take parameters ε and δ and compute the sample size accordingly. We run each experiments five times for each value of ε , and measured the average running time across the runs. The results are presented in Figs. 2 and 4. In Fig. 2a we report the minimum and the maximum ratio of the running time of BP over VC, taken over the ratios obtained by running the algorithms with the different values of ε . As it can be seen from this table our algorithm performs significantly faster, more than 300%. Similar results are reported for directed graphs in Fig. 2b. The diam-UB and the diam-exact values can be seen as the two extremes for the performance of Algorithm 1 in terms of runtime. In the case of the diam-exact we have as few samples as possible (for VC) since we use the exact value of the vertex-diameter, whereas in the case of diam-UB we have as many samples as possible because we use the worst case estimation for the vertex-diameter of the graph. From Fig. 2a we can see that the value for the vertex-diameter that we consider in the case of diam-UB ($|V| - 2$) is many orders of magnitudes greater than the actual value, which translates in a significant increase of the number of samples. But even in the case of this crude vertex-diameter approximation (diam-UB), the VC algorithm performs uniformly faster than BP. In the case where the exact value of the diameter was used, we can see that our algorithm computes an estimation of the betweenness that satisfies the desired accuracy and confidence guarantees *3 to 5 times faster* than BP. In Fig. 4a we study the directed graph p2p-Gnutella30 and we present the measurements of the average running time of the algorithms for different values of ε , using the exact algorithm from [8] as baseline. The VC algorithm requires significantly less time than the BP algorithm. The figure also shows that there are values of ε for which BP takes more time than the exact algorithm, because the

⁶<http://snap.stanford.edu/data/index.html>




(a) p2p-Gnutella30 (directed)




(b) email-Enron (undirected)

Figure 3: Betweenness estimation error $|\tilde{b}(v) - b(v)|$ evaluation for directed and undirected graphs



(a) p2p-Gnutella30 (directed)



(b) email-Enron (undirected)

Figure 4: Running time (seconds) comparison between VC, BP, and the exact algorithm.

resulting sample size is larger than the graph size. Given that VC uses fewer samples and does fewer operations per sample, it can be used with lower ϵ than BP, while still saving time compared to the exact computation. Figure 4b shows the average running time of the algorithms for the undirected graph email-Enron. The behavior is similar to that for the undirected case. Algorithm 1 is faster than BP for two reasons, both originating from our use of results from the VC-dimension theory: 1) we use a significantly smaller amount of samples and 2) VC performs the same amount of computations *per sample* as BP only in the worst case. Indeed our algorithm needs only to find the shortest path between a sampled pair of vertices, whereas the algorithms from [10, 15] need to compute the shortest paths between a sampled source and all the other vertices. In our experimental evaluation we found out that the running time of the algorithms is directly proportional to the number of edges touched during the shortest path computation. The use of bidirectional A^* search [19, 30] can help in lowering the number of touched edges for VC and therefore the runtime of our algorithm (BP would not benefit from this improvement). We plan to explore this in future work.

6.3 Scalability

In Sect. 5.3 we argued about the reasons why Algorithm 1 is more scalable than BP, while still offering the same approximation guarantees. To evaluate our argument in practice, we created

a number of graphs of increasing size (1,000 to 100,000 vertices) using the Barabási-Albert [5] and run the algorithms on them, measuring their running time. We report the results in Fig. 5. The most-scalable algorithm would be completely independent from the size (number of vertices) of the graph, corresponding to a flat (horizontal) line in the plot. Therefore, the less steep the line, the more independent from the network size would be the corresponding algorithm. From the figure, we can appreciate that this is the case for VC, which is much more scalable and independent from the size of the sample than BP. This is very important, as today's networks are not only huge, but they also grow rapidly, and algorithms to mine them must scale well with graph size.

7. CONCLUSIONS

In this work we presented two random-sampling-based algorithms for accurately and efficiently estimate the betweenness centrality of the (top- K) vertices in a graph, with high probability. Our algorithms are based on a novel application of VC-dimension theory, and therefore take a different approach than previous ones achieving the same guarantees [10, 15, 18]. The number of samples needed to approximate the betweenness with the desired accuracy and confidence does not depend on the number of vertices in the graph, but rather on a characteristic quantity of the network that we call *vertex-diameter*. In some cases, the sample size is completely independent from any property of the graph. Our algorithms per-




Figure 5: Scalability on random [5] graphs.

form much less work than previously presented methods. As a consequence, they are much faster and scalable, as verified in the extensive experimental evaluation using many real and artificial graphs. In future work we would like to explore the possibility of using bidirectional A* search [19, 30] to further speed up our algorithms.

Acknowledgements. This project was supported, in part, by the National Science Foundation under award IIS-1247581. We are thankful to Eli Upfal for his guidance and to the anonymous reviewers whose comments helped us improving this work.

8. REFERENCES

- [1] I. Abraham et al. VC-dimension and shortest path algorithms. ICALP'11, 2011.
- [2] D. Aingworth et al. Fast estimation of diameter and shortest paths (without matrix multiplication). *SIAM J. on Comput.*, 28(4):1167–1181, 1999.
- [3] J. M. Anthonisse. The rush in a directed graph. TR BN 9/71, Stichting Mathematisch Centrum, Amsterdam, Netherlands, 1971.
- [4] D. A. Bader et al. Approximating betweenness centrality. WAW'07, 2007.
- [5] A.-L. Barabási and R. Albert. Emergence of scaling in random networks. *Science*, 286(5439):509–512, 1999.
- [6] K. Boitmanis et al. Fast and simple approximation of the diameter and radius of a graph. WEA'06, 2006.
- [7] S. P. Borgatti and M. G. Everett. A graph-theoretic perspective on centrality. *Soc. Net.*, 28(4):466–484, 2006.
- [8] U. Brandes. A faster algorithm for betweenness centrality. *J. Math. Sociol.*, 25(2):163–177, 2001.
- [9] U. Brandes. On variants of shortest-path betweenness centrality and their generic computation. *Soc. Net.*, 30(2):136–145, 2008.
- [10] U. Brandes and C. Pich. Centrality estimation in large networks. *Intl. J. Bifurc. and Chaos*, 17(07):2303–2318, 2007.
- [11] G. Csárdi and T. Nepusz. The igraph software package for complex network research. *InterJournal, Complex Sys.*:1695, 2006. URL <http://igraph.sf.net>.
- [12] S. Dolev et al. Routing betweenness centrality. *J. ACM*, 57(4):25:1–25:27, May 2010.
- [13] D. Eppstein and J. Wang. Fast approximation of centrality. *J. Graph Alg. and Appl.*, 8(1):39–45, 2004.
- [14] L. C. Freeman. A set of measures of centrality based on betweenness. *Sociometry*, 40:35–41, 1977.
- [15] R. Geisberger et al. Better approximation of betweenness centrality. ALENEX'08, 2008.
- [16] S. Har-Peled and M. Sharir. Relative (p, ε) -approximations in geometry. *Discr. & Comput. Geom.*, 45(3):462–496, 2011.
- [17] W. Hoeffding. Probability inequalities for sums of bounded random variables. *J. Am. Stat. Assoc.*, 58(301):13–30, 1963.
- [18] R. Jacob et al. Algorithms for centrality indices. *LNCS*, 3418: 62–82, 2005.
- [19] H. Kaindl and G. Kainz. Bidirectional heuristic search reconsidered. *J. Artif. Intell. Res.*, 7:283–317, 1997.
- [20] Kourtellis et al. Identifying high betweenness centrality nodes in large social networks. *Soc. Net. Analysis and Mining*, pages 1–16, 2012.
- [21] Kranakis et al. The VC-dimension of set systems defined by graphs. *Discr. Appl. Math.*, 77(3):237–257, 1997.
- [22] Y. Li et al. Improved bounds on the sample complexity of learning. *J. Comp. and Sys. Sci.*, 62(3):516–527, 2001.
- [23] Y.-s. Lim et al. Online estimating the k central nodes of a network. NSW'11, 2011.
- [24] M. Löffler and J. M. Phillips. Shape fitting on point sets with probability distributions. ESA'09, 2009.
- [25] A. Maiya and T. Berger-Wolf. Online sampling of high centrality individuals in social networks. PAKDD'10, 2010.
- [26] M. Mitzenmacher and E. Upfal. *Probability and Computing: Randomized Algorithms and Probabilistic Analysis*. Cambridge University Press, 2005.
- [27] M. Mohri et al. *Foundations of Machine Learning*. The MIT Press, 2012.
- [28] M. E. J. Newman. *Networks - An Introduction*. Oxford University Press, 2010.
- [29] J. Pfeffer and K. M. Carley. k-centralities: local approximations of global measures based on shortest paths. WWW'12, 2012.
- [30] I. Pohl. *Bidirectional Heuristic Search in Path Problems*. PhD thesis, Stanford University, 1969.
- [31] M. Riondato and E. M. Kornaropoulos. Fast Approximation of Betweenness Centrality through Sampling. (extended version) <http://cs.brown.edu/~matteo/papers/RiondatoKornarop-BetweennessSampling.pdf>, 2013.
- [32] L. Roditty and V. V. Williams. Approximating the diameter of a graph. *CoRR abs/1207.3622*, 2012.
- [33] A. E. Sariyüce et al. Shattering and compressing networks for betweenness centrality. SDM'13, 2013.
- [34] V. N. Vapnik and A. J. Chervonenkis. On the uniform convergence of relative frequencies of events to their probabilities. *Theory of Prob. and its Appl.*, 16(2):264–280, 1971.